


harding

7070.01 – 7070.08



Kollektion

**upholstery
textile**

Beschreibung

**Zweifarbiger Twill aus 100% recycelten
PET-Flaschen**

Zusammensetzung

100% recycled polyester FR

Breite

± 151 cm, ± 59 inches

Gewicht

± 660 gr/m¹, ± 21 oz/yd¹ fabrics

Brandschutzklasse

EN 1021/ 1-2

BS 5852, crib 5

NF D 60-013 (AM 18)

DIN 4102, B1

UNI 9175, classe 1.IM

Cal TB 117

NFPA 260, class 1

IMO 2010 FTP part 8

Abrieb

ISO 12947-2

130.000 rubs martindale

ASTM D4157

100.000 double rubs wyzenbeek

Pillingbildung

ISO 12945-2

4-5 (skala 1-5)

Reibechtheit

ISO 105-X12

nass 4-5 / trocken 4-5 (skala 1-5)

Lichtechtheit

ISO 105-B02

6 (skala 1-8)

Nahtschiebewiderstand

ISO 13936-2

Kette 3 mm / Schuss 2 mm

Reißfestigkeit

ISO 13934-1

Kette 1220 N / Schuss >2500 N

Pflege



Schrumpfwerte: Kette -2% / Schuss -2%




STANDARD
100


S21-3365
Hohenstein HTTI

harding


7070.01 – 7070.08




7070.01



7070.02



7070.03




7070.04




7070.05



7070.06



7070.07



7070.08